


# #1.01

**LIGHT CONTROL**  
baseline45

2019.09



**SMART START**  
for your  
Gaming Area



even better

ALL  
COMPONENTS  
ALSO COMPATIBLE  
TO  
...



- › Multi-functional, intuitive light controller with flexible digital RGB LED strips.
- › Uncomplicated + instantly compatible
- › Synchronised light effects for inside AND outside your PC
- › integrated HighSensitivity Microphone for two music modes
- › includes 2x xcd 1.02 in 45 cm length. Ideal to start with the illumination of your PC.

## easy!

- › #1 LightControl # 1 controls synchronously the lighting of all Components inside and outside your PC – on your desk, on your wall, or the backlight of the monitor.
- › Big Lightmaster: 15 pre-programmed light modes, twelve colors + a huge RGB spectrum of available color as well as five brightness and speed levels quickly and flexibly via key control.
- › The controller integrated High Sensitivity MIC picks up ambient sounds and converts sounds and music into light effects.
- › All boards and other components with a 3pin + 5V, DATA, GND [xx x] connector for addressable LEDs are compatible with the # 1 LightControl.
- › For a uniform and cool look, the controller in a sophisticated design is illuminated like all your other components too.


# #1.01

**LIGHT CONTROL**  
baseline45

## CONTENT

# #1 light controller

Light-up plug+play 4-button controller with 32-bit high-end microprocessor – can be expanded with up to 2 x 144 digital RGB LEDs (2 x 3.6 m), compatible with all motherboards with 3-pin RGB header.



# #1.01

**LIGHT CONTROL**  
baseline45




## FEATURES OVERVIEW

- › illuminated plug and play controller with a 32 bit high end microprocessor
- › synchronizes your lighting inside and outside your PC
- › synchronizes your lighting inside and outside your PC
- › integrated HighSensitivity microfon
- › 15 pre-installed, changeable effects with countless color adjustments
- › compatible with all mainboards with 3pin RGB header.
- › Expandable through the software control of your compatible mainboard.
- › 12 pre-installed colors, 2x Rainbow modes plus freely selectable colors within the RGB color spectrum
- › integrated magnets for mounting on all metallic surfaces
- › sleeved cables
- › Rubberized base to protect your case and for a slip and scratch resistant use on your desk
- › „Clean installation“ through PCI slot cable management

## controller MultiCable

1x 150 cm




### TIDY INSIDE THE CASE!

Clean layout thanks to **PCI slot cable management**

- › SATA 5 V power cable (40 cm)
- › Digital RGB mainboard adapter cable (50 cm) with 3 pin (+5 V, DATA, GND) connection for MB synchronisation
- › Digital RGB output cable (50 cm)

# #1.01

**LIGHT  
CONTROL**  
baseline45



**SUPER  
FLEXIBLE!**

even better

## xcd 1.02 baseline 45

2x 1cm (W) x 45cm (L) x 0,2cm (H)

- › Flexible digital RGB LED strips with 18 individual addressable LEDs
- › per strip 6 integrated magnets for attachment

### **PRACTICAL!**

12 extra metal plates with adhesive tape to attach strips to different surfaces

compatible  
with all  
**xcd 1, xcd 2  
+ xcd 3  
products**  
\* up to 288 LED \*

## article data

### #1.01 lightcontrol baseline45

› ARTIKEL-NO.	ebl0001
› EAN	4260640320005
› PACKAGING UNIT	24
› LAUNCH	09.2019



## PACKAGE INCLUDES

- › 1x Digital RGB 4-button controller „#1 lightcontrol“
- › 2x 45 cm Digital-RGB „xcd 1.02 baseline45“, each featuring 18 LEDs.
- › Controller multi cable (150 cm)
  - SATA 5V power cable (40 cm)
  - Digital RGB mainboard adapter cable (50 cm)
  - Digital RGB output cable (50 cm)
- › 1x PCI slot bracket
- › 1x digital RGB output cable (90 cm)
- › 1x LED strip connection cable (10 cm)
- › 1x LED strip connection cable (50 cm)
- › 1x LED strip Y splitter cable (10 cm)
- › 12x metal plates with adhesive tape

# #1.01

**LIGHT  
CONTROL**  
baseline45

evnbetter



## SPECIFICATION

### #1 lightcontrol

› MATERIAL	ABS, PC, Rubber
› DIMENSION	4.4 cm (W) × 4.4 cm (L) × 1.52 cm (H)
› LED COUNT INTERNAL	144 LED / 3,6m
› LED COUNT EXTERNAL	144 LED / 3,6m
› OUTPUT PORT	1x internal; 1x external All MB with 3 pin RGB Header +5V, DATA, GND [xx x]
› SYNC	Aura Sync, Polychrome Sync, Mystic Light
› SOUND SOURCE INPUT	integrated HighSensitivityMIC
› CONNECTOR	1x 3 pin DRGB out
› INPUT	+5V SATA Max current combined 5A
› WATTAGE	25W
› COMPATIBILITY	RGB (+5V, DATA, N/A, GND)
› MOUNTING	magnets

### baseline45

› DIMENSIONS	10 mm (W) × 450 mm (L) × 2 mm (H)
› LED COUNT	18
› LED SPEC	Digital RGB SK6812 3 pin / +5V, DATA, GND [xx x]
› CURRENT	0.65A
› WATTAGE	3.24W
› MAGNETS	6

## CONTACT

**sales  
department**

service@evnbetter.com  
evnbetter.com